
BAUM KUNSTSTOFFE GMBH Chemical resistant piping systems lined with PTFE-PFA-PP



PTFE-Lined Dip Pipe (Class 150)



| NPS ₁ | NPS ₂ | L | L _{max} | Lining-Materials | |
|--|-------------------------------|-----|------------------|------------------|--|
| | | mm | mm | PTFE | |
| 1/2" | please indicate when ordering | 150 | 5000 | | |
| 3/4" | | 150 | 5000 | | |
| 1" | | 150 | 5000 | | |
| 1 ¹ / ₄ " | | 150 | 5000 | | |
| 1 ¹ /2" | | 150 | 5000 | | |
| 2" | | 150 | 5000 | | |
| 2 ¹ / ₂ " | | 150 | 5000 | | |
| 3" | | 150 | 5000 | | |
| 4" | | 150 | 4000 | | |
| 5" | | 150 | 4000 | | |
| 6" | | 150 | 4000 | | |
| 8" | | 150 | 4000 | | |
| 10" | | 150 | 3000 | | |
| 12" | | 150 | 3000 | | |

Also available seamless depending on technical feasibility.

PTFE-Lined Dip Pipes (Class 300) upon request.

We are certified

acc. DIN EN ISO

9001:2000.

Pressure Equipment Directive (PED 97/23/EG):

All piping parts fulfil the requirements of the PED and will be delivered with CE marking.

BAUM KUNSTSTOFFE GMBH

TIV

GERT

ISO 9001

Gewerbestraße 25-29 • D-75217 Birkenfeld-Gräfenhausen +49 (0) 70 82-94 36-0 • Fax +49 (0) 70 82-94 36-40 Phone E-Mail: info@baumkunststoffe.com • www.baumkunststoffe.com

🔁 Lined pipes, elbows, tees, instrument-tees, reducers, crosses and spacers in the dimensions DN15 to DN 500 and 1/2" to 20", according DIN 2848/2874 and ANSI B16.5 in carbon steel and stainless steel lined with PTFE, PFA (virgin, antistatic, FDA conformity upon request) and PP-lining.

PTFE nozzle-liner and PTFE-lined steel dip pipes.

Expansion joints in PTFE as well as stainless steel expansion joints with PTFE-lining.

We also manufacture special forms and dimensions according to your requirements.

